

CAMARAS AR

MOTO/Outros

	Medida	Aplic	Marca	Valvula	Art.
4	2.00-50		Rol-Hic(150)	DIN7777	11340045
4	2.80/2.50-4	(2.50-4; 9x2-3/4)	Kings	TR87	11340093
4	3.00-4	(10x3; 260/85)	Rol-Hic(80)	JS87	11340053
4	3.50/4.00-4		Rol-Hic(70)	JS87	11340059
5	10x4.50-5	Kart	Kings	JS87	11340020
5	11x7.10-5	Kart	Kings	JS87	11340034
6	4.10/3.50-6	(4.00-6)	Rol-Hic(65)	TR13	11340047
6	4.10/3.50-6	(4.00-6)	Kings	TR87	11340092
6	4.10/3.50-6	(4.00-6)	Duro (50)	TR87N	11340095D
6	13x5.00-6	Carros Golf	Kings	TR13	11340047
6	145/70-6	ATV**	Kings	TR13	11340047
6	15x6.00-6	+/- <=> 5.00X	Kings(35)	TR13	11340061
7	16x8.00-7	ATV	Kings	TR6	11340076
8	16*6.50-8		Kings	TR13	11340063
8	18*6.50-8		Kings	TR13	11340062
8	18x8.50/9.50-8		Rol-Hic(20)	TR13	11340066
8	20x7-8	ATV**	Kings	TR6	11340041
8	21x11-8	ATV**	Kings	TR6	11340037
8	2.75/3.00-8		Kings	JS87	11340095
8	2.75/3.00-8		Duro	TR97C	11340095D
8	3.00/3.50-8	Carretillo/CM	Kings	TR13	11340067
8	3.50/4.00-8	Carretillo/CM	Rol-Hic(65)	TR87	11340008
8	3.50/4.00-8		Kings	TR4(metal)	11340043
8	3.50-4.00-8	Carretillo/CM	Rol-Hic(50)	TR13 GOMA	11340046
8	4.80/4.00-8		Kings	JS87	11340080
8	4.80/4.00-8		Kings	TR13	11340091
9	20x10-9	ATV**	Kings	TR6	11340064
9	20x11-9	ATV**	Kings	TR4	11340038RH
9	22x11-9	ATV**	Kings	TR4	11340038RH
10	21x 7-10	ATV**	Kings	TR4	11340023RH
10	22x11-10	ATV**	Kings	TR6	11340011RH
10	22x 8-10 (21x7-10)	ATV**	Kings	TR6	11340023RH
10	2.50/2.75-10		Kings	JS87	11340016
10	2.50/2.75-10		Kings	TR4	11340082
10	2.50/2.75-10		Duro (50)	TR4	11340082D
10	3.00-10		Rol-Hic(60)	JS87	11340012
10	3.00-10		Kings	TR4	11340015
10	3.00-10		Duro (50)	JS87C	11340012D
10	3.00/3.50-10		Kenda	TR87	11340084
10	3.50/4.00-10		Rol-Hic(50)	JS87	11340009
10	4.00/4.50-10		Kings(50)	TR87 / JS87	11340051
10	4.00/4.50-10		Duro (50)	TR13	11340078D
10	4.00-10		Kings	TR13	11340078
10	4.50/5.00-10		Kings	JS87	11340025
10	4.50/5.00-10		DURO	TR13	11340094D
10	6.50-10		Rol-Hic(25)	JS2	80020005

CAMARAS AR

MOTO/Outros

	Medida	Aplic	Marca	Valvula	Art.
11	23,5x8-11	ATV**	Kings	TR6	11340040
12	25x8-12	ATV**	Kings	TR13	11340057RH
12	25x10-12	ATV**	Kings	TR13	11340077
12	27x10-12	ATV**	Kings	TR13	11340075
12	80/100-12	Cross(reforçada)	Kings	TR6 HD	11340069
12	120-130/70-12		Kings(45)	TR87 / JS87	11340050
12	2.75/3.00-12		Kings(50)	TR4	11340068
12	3.00-12		Rol-Hic(55)	TR6	11340030
12	4.00-12		Kings	TR13	11340085
12	4.00/4.50-12		Kings	JS87	11340033
12	4.50/5.00-12		Kings	TR13	11340056
13	130/60-13		Kings	JS87	11340026
14	2.25/2.50x14		Kings	TR4	11340028
14	2.75/3.00-14		Rol-Hic(60)	TR4	11340013K
14	2.75/3.00-14		Duro	TR4	11340013D
14	60/100-14	Cross(reforçada)	Kings	TR4 HD	11340070
15	4.50/5.10-15		Rol-Hic(35)	TR87 / JS87	11340022
15	4.50/5.10-15		Rol-Hic(35)	TR4	11340032
16	90/100-16	Cross(reforçada)	Kings	TR6 HD	11340071
16	2.25/2.50-16		Kings	TR4	11340042
16	2.75/3.00-16		Rol-Hic(52)	TR4	11340006
16	3.00-16		Duro	TR4	11340006D
16	3.00/3.25-16		Kings	TR4	11340007
16	3.25/3.50-16		Duro (50)	TR4	11340054D
16	3.50/4.00-16		Duro (50)	TR4	11340055D
16	3.50/4.00-16		Kings	TR6	11340073
16	4.00/4.50-16		KINGS	TR6	11340074
16	4.50/5.10-16		Rol-Hic(35)	TR4	11340044
17	2.00/2.25-17		Rol-Hic(65)	TR4	11340018
17	2.50/2.75-17		Kings	TR4	11340019
17	2.75/3.00-17	(80/90-17; 100/80-17)	Duro (50)	TR4	11340024D
17	3.00/3.25-17		Kings	TR4	11340014
17	3.25/3.50-17		Rol-Hic(45)	TR4	11340035
17	4.00/4.60-17		Kings(20)	TR6	11340010
17	5.10-17		Rol-Hic(30)	TR4	11340052
18	2.00/2.25-18		Kings	TR4	11340036
18	2.50/2.75-18		Rol-Hic(50)	TR4	11340021
18	2.75/3.00-18		DURO	TR4	11340002D
18	2.75/3.00-18		Rol-Hic(50)	TR4	11340002
18	3.00/3.25-18		Rol-Hic(45)	TR4	11340027
18	3.25/3.50-18		Kings	TR4	11340003
18	3.50-4.00-18		Rol-Hic(40)	TR4	11340048
18	4.00/4.25-18		Kings	TR4	11340049
18	4.25/4.50-18		Rol-Hic(35)	TR4	11340004
18	120/100-18	Cross(reforçada)	Kings	TR4 HD	11340058
18	4.25/4.50-18		Rol-Hic(35)	TR4	11340004
18	120/100-18	Cross(reforçada)	Kings	TR4 HD	11340058

CAMARAS AR

MOTO/Outros

	Medida	Aplic	Marca	Valvula	Art.
19	110/90-19	Cross(reforçada)	Kings	TR4 HD	11340060
19	2.25/2.50-19		Kings	TR4	11340017
19	2.50/2.75-19		R-H (50)	TR4	11340001K
19	2.50/2.75-19	Cross(reforçada)	Kings	TR6 HD	11340072
19	2.75/3.00-19		Kings	TR4	11340029
19	3.25/3.50-19		Rol-Hic(40)	TR4	11340055
19	3.25/3.50-19		Duro	TR4	11340055D
19	3.50/4.00-19		Rol-Hic(40)	TR6	11340031
21	2.75/3.00-21		Duro (50)	TR4	11340005D
21	2.75/3.00-21		Rol-Hic(45)	TR4	11340005
21	3.25/3.50-21		Kings	TR4	11340079
21	80/100-21	Cross(reforçada)	Kings	TR4	11340065

CAMARAS AR

AUTO/CAM

	Medida	Aplic	Marca	Valvula	Art.
8	5.00-8		Rol-Hic(40)	TR13	80020355
8	5.00-8	Agr - tractor	Rol-Hic(35)	JS2	80020031
9	6.00-9	Indust/Atre(Remol)	Kings (20)	JS2	80020041K
9	6.00-9	Indust/Atre(Remol)	Rol-Hic(30)	JS2	80020041RH
10	145-10	Auto	Rol-Hic(40)	TR13	80020339
10	20x 8-10	Reb/Tractor -Min/pedido:10 unid	Trellbg (20)	TR13	1180000 TLB
10	6.50-10	Indust/Empilh	Rol-Hic(25)	JS2	80020005
12	135/145-12	Auto	Rol-Hic(40)	TR13	80020374
12	155-12	Auto	Rol-Hic(33)	TR13	80020340
12	6.00-12		Rol-Hic(33)	TR13	80020074RH
12	7.00-12	Agr -	Rol-Hic(20)	JS2	80020022RH
12	7.00-12	Agr - Empilh	Trellbg (20)	TR75	80020066K
12	7.00-12	Agr - Empilh	Rol-Hic (20)	TR75A	80020066RH
13	135/145-13	Auto	Rol-Hic(35)	TR13	80020012
13	155/165-13	Auto	Rol_Hic(30)	TR13	80020018
14	155/165-14	Auto	Kings(30)	TR13	80020015K
14	155/165-14	Auto	Rol-Hic(30)	TR13	80020015RH
14	175/185-14	Auto	Rol-Hic(25)	TR13	80020011RH

CAMARAS AR

AUTO/CAM

	Medida	Aplic	Marca	Valvula	Art.
15	135/145-15	Auto	Rol-Hic(30)	TR13	80020354
15	155/165-15	Auto	Kings	TR13	80020063
15	175/185-15	Auto	Kings (25)	TR15	80020079K
15	175/185-15	Auto	Rol-Hic (15)	TR15	80020079RH
15	185-15	Auto	Rol-Hic(25)	TR13	80020024RH
15	195/205-15	Auto	Rol-Hic(22)	TR13	80020362
15	205/215-15	Auto	Kings(20)	TR13	80020083
15	215/235-15	Auto	Rol-Hic(20)	TR13	80020085
15	3.00-15	Emp-Reb	Trellbg (8)	TR77	1165800TLB
15	5.50-15	Cam	Kings	TR75A	80020076
15	7.00/7.50-15	Cam	Kings	TR75A	80020026K
15	7.00/7.50-15	Cam	Rol-Hic(18)	TR75A	80020026RH
15	7.00-15	Cam	Rol-Hic(23)	TR15	80020023RH
15	8.15-15	Cam / Empilh	Kings	TR75A	80020004
15	8.25-15	Cam	Rol-Hic(14)	TR75A	80020040RH
15.3	10.0/75-15.3	Agric	Kings(18)	TR15	80020038K
15.3	10.0/75-15.3	Agric	Rol-Hic(14)	TR15	80020038RH
15.3	11.5/80-15.3	Agric	Rol-Hic(12)	TR15	80020309
15.5	4.00/60-15.5	Agric <=>3.50/70-15.5	Rol-Hic(8)	TR15	80020346
16	195/205-16	Auto	Rol-Hic(22)	TR13	80020064K
16	195/205-16	Auto	Rol-Hic(20)	TR13	80020064RH
16	215/235-16	Auto	Rol-Hic(18)	TR13	80020084
16	6.00/6.50-16	Agric	Rol-Hic(25)	TR15	80020009
16	6.00/6.50-16	Agric	Rol-Hic(18)	TR75A	80020016RH
16	7.00/7.50-16	Agric	Rol-Hic(18)	TR15	80020007RH
16	7.00/7.50-16	Agric	Rol-Hic(15)	TR75A	80020008
16	8.25-16	Agric	Rol-Hic(12)	TR177A	80020369
16	9.00-16	Agric	Kings(16)	TR15	80020043
16.5	10.00-16.5(10-16.5)	BobCat(Skid)	Rol-Hic(14)	TR15	80020020
16.5	12.00-16.5(12-16.5)	BobCat(Skid)	Rol-Hic(10)	TR15	80020371
18	10.5/80-18	Agric	Rol-Hic(10)	TR15	80020002RH
18	12.5/80-18	Agric	Rol-Hic(8)	TR15	80020046RH
18	12.5/80-18	Agric	Rol-Hic(8)	TR218A	80020315
18	7.50-18	Reb/Tract/Agric	Trellbg (12)	TR15	1180700TLB
18	7.50-18	Reb/Tract/Agric	Rol-Hic(10)	TR15	80020017RH
20	7.50-20	Agric	Rol-Hic(12)	TR75A/V3.04-5	80020037RH
20	8.25-20	Agric	Kings(12)	TR75A	80020069K
20	8.25-20	Agric	Rol-Hic(10)	TR75A	80020069RH
20	9.00-20	Agric	Rol-Hic(8)	TR78A	80020027
20	9.00-20	Agric	Rol-Hic(9)	TR75A	80020361
20	9.50-20	Agric	Rol-Hic(10)	TR218A	80020029RH
20	9.50-20	Agric	Kings	TR218A	80020029K
20	10.00-20	Agric	Rol-Hic(7)	V3-04-5	80020028

CAMARAS AR

AUTO/CAM

	Medida	Aplic	Marca	Valvula	Art.
20	10.5/80-20	Agric	Kings(8)	TR15	80020048K
20	10.5/80-20	Agric	Rol-Hic(10)	TR15	80020048RH
20	11.00-20	Cam <=> 11.00R20	Trellbg(5)	V3-02-15	1184900TLB
20	11.00-20	Cam	Rol-Hic(6)	V3-04-5	80020001
20	12.00-20	Cam	Kings(6)	V3-04-5	80020051K
20	12.00-20	Cam	Rol-Hic(5)	V3-04-5	80020051RH
20	12.4-20	Rem/tract ind	Rol-Hic(7)	TR218A	80020366
20	12.5/80-20	Rem/tract ind	Rol-Hic(7)	TR15	80020019RH
20	13.00-20		Kings(6)	TR177/179	80020051K
20	14.5/80-20	Rem/tract ind	Rol-Hic(6)	TR15	80020326
20	14.5/80-20	Rem/tract ind	Trellbg(6)	TR15	1185600TLB
20	16/70-20	Rem/tract ind	Rol-Hic(5)	TR15	80020333
22.5	11-22.5	Agric	Kings(7)	TR87A	80020086
22.5	12-22.5	Agric	Rol-Hic(5)	TR300	80020310
22.5	400/55-22.5	Twin Implem	Rol-Hic(4)	TR218	80020006
22.5	400/60-22.5	Twin Implem	Trellbg(4)	TR218	80020013
22.5	500/60-22.5	Twin Implem	Rol-Hic(2)	TR218A	80020014
22.5	700/40-22.5	Twin Florestal	Trellbg(2)	TR218	1290400TLB
24	10-24(11.2-24)	Tract	Rol-Hic(7)	TR218A	80020303
24	11-24(12.4-24)	Tract	Rol-Hic(6)	TR218A	80020306
24	11.2-24(10-24)	Tract	Rol-Hic(7)	TR218A	80020303
24	12-24(13.6-24)	ForkLift	Rol-Hic(6)	TR218A	80020025RH
24	12.00R24	Radial Truck	Rol-Hic(5)	TR78A	80020349
24	13-24(14.9-24)	Mov terra	Rol-Hic(5)	TR218A	80020317
24	13.00-24	Mov terra	Rol-Hic(4)	TR218A	80020320
24	14-24(16.9-24)	Mov terra	Rol-Hic(4)	TR218A	80020321
24	15.5/80-24	Mov terra	Rol-Hic(5)	TR218A	80020332
25	15.5-25	Mov terra	Trellbg(3)	TRJ1175	1223100TLB
25	15.5-25	Mov terra	Rol-Hic(3)	TRJ1175C	80020331
25	17.5-25	Mov terra	Trellbg(2)	TRJ1175	1172600TLB
25	17.5-25	Mov terra	Rol-Hic(3)	TRJ1175C	80020334
25	18.00-25	Mov terra	Rol-Hic(2)	TRJ1175C	80020335
25	20.5-25	Mov terra	Rol-Hic(2)	TRJ1175C	80020336
25	20.5-25	Mov terra	Trellbg (2)	TRJ1175C	80020336TLB
25	23.5-25	Mov terra	Rol-Hic(2)	TRJ1175C	80020337
25	26.5-25	Mov terra	Rol-Hic(1)	TRJ1175C	80020313
25	29.5-25	Mov terra	Rol-Hic(1)	TRJ1175C	80020347
26	13-26	Tract (14.9-26)	Trellbg (3)	TR218	1187100TLB
26	15-26	Tract (18.4-26)	Rol-Hic(3)	TR218A	80020327
26	23.1-26(18-26)	Tractor	Trellbg (2)	TR218	1181100TLB
26.5	6.00/55-26.5	Implement	Trellbg (2)	TR218	1193000TLB
26.5	6.00/55-26.5	Implement	Rol-Hic (2)	TR218	80020032
28	10-28	(11.2-28 * 320/70-28) Tract	Rol-Hic(7)	TR218A	80020304
28	11-28	(12.4-28 * 360/70-28) Tract	Rol-Hic(5)	TR218A	80020307
28	12-28	(13.6-28) Tract	Rol-Hic(5)	TR218A	80020312RH
28	13-28	(14.9-28 * 420/70-28) Tract	Trellbg(3)	TR218A	0600800TLB
28	13-28	(14.9-28 * 420/70-28) Tract	Rol-Hic(5)	TR218A	80020318

CAMARAS AR

AUTO/CAM

	Medida	Aplic	Marca	Valvula	Art.
28	14-28	Tract	Rol-Hic(3)	TR218A	80020322
29	26.5-29	Tract	Rol-Hic(1)	TRJ1175C	80020348
30	13-30	Tract	Rol-Hic(4)	TR218A	80020319
30	14-30	Tract	Rol-Hic(3)	TR218A	80020323
30	15-30	Tract	Rol-Hic(2)	TR218A	80020328
33	18.00-33	Tract	Rol-Hic(1)	TRJ1175C	80020345
34	14-34	Tract	Rol-Hic(3)	TR218A	80020324
34	15-34	Tract	Rol-Hic(2)	TR218A	80020329
34	15-34	Tract (1181700)	Trellbg (2)	TR218A	80020329TLB
34	600/65-34	Implemt 710/55-34 (1198500)	Trellbg (1)	TR218	1198500TLB
34	600/65-34	Implemt (710/55-34)	Rol-Hic(2)	TR218A	80020003RH
38	14-38	Tract	Trellbg (3)	TR218	1181800TLB
38	14-38	Tract	Rol-Hic(3)	TR218A	80020325
38	15-38	Tract	Rol-Hic(2)	TR218A	80020330
38	15-38	Tract	Trellbg (2)	TR218	1181900TLB
38	20.8-38	Tract	Rol-Hic(2)	TR218A	80020367
42	20.8-42	Tract	Rol-Hic(2)	TR218A	80020368

FLAPS

	Medida	Aplic	Marca	Valvula	Art.
8	5.00-8	CX/12	Rol-Hic	FLAP	80030004
9	6.00-9	CX/12	Rol-Hic	FLAP	80030006
10	6.50/7.50-10	CX/12	Rol-Hic	FLAP	80030007
12	7.00-12	CX/12	Rol-Hic	FLAP	80030010
15	8.15/8.25/8.50-15	CX/12	Kings	FLAP	80030204
16	7.00/7.50-16	CX/10	Kings	FLAP	80030017
20	10.00-20	CX/10	Kings	FLAP	80030026
20	11.00-20	CX/10	Kings/Rol-Hic	FLAP	80030027
20	12.00-20	CX/10	Kings	FLAP	80030208
24	16.00-24	CX/5	Rol-Hic/Kings	FLAP	80030216
25	13/14.00-24/25	260+-10mm	CX/5	Rol-Hic/Kings	80030217
25	15,5/17,5x25	CX/5	Kings	FLAP	80030020
25	18.00-25	CX/5	Kings	FLAP	80030022
25	20,5x25	CX/3	Kings	FLAP	80030021
25	23,5x25	CX/3	Kings	FLAP	80030140
25	26,5x25	CX/2	Kings	FLAP	80030215

